L Number	Hits	Search Text	DB	Time stamp
1	4033	over-voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 08:58
8	9246	over adj voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 08:59
15	19289	overvoltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 09:00
22	21996	overcurrent	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 09:00
29	3236	over-current	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 09:00
36	12227	over adj current	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 09:00
43	925	over-voltage and (over adj voltage) and overvoltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 13:35
50	27713	1or (over adj voltage) or overvoltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 13:36
57	32754	overcurrent or over-current or (over adj current)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 11:12
64	4714	(overcurrent or over-current or (over adj current)) and sensing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 09:06

C:\APPS\east\workspaces\phone2.wsp

71	3724	(1or (over adj voltage) or overvoltage) and sensing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 09:55
78	8071	(1or (over adj voltage) or overvoltage) and sens$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 09:07
85	10438	(overcurrent or over-current or (over adj current)) and sens$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 11:15
92	6739	(phone$2 or telephone$2) near4 subscriber$3 near4 line$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 09:15
99	259792	(subscriber$5 near5 line$3 near5 interface$3 near5 circuit$3) or (interface$3 near3 circuit$3) or (subscriber$3 near3 line$3) or (circuit$3 near3 line$3) or (interface$3 near3 line$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 11:07
106	28988	current$3 near4 threshold	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 09:27
113	29570	current$3 near4 threshold$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 09:29
120	2692667	(predetermin$3 near3 time$3) or delay$3 or hold$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 09:40
127	30586	((predetermin$3 near3 time$3) or delay$3 or hold$3) and (phone$ or telephones$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 09:42
134	17860	(batter$3 or (power$3 near3 supply)) and (phone$ or telephones$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 09:45

141	26944	over-voltage or (over adj voltage) or overvoltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 09:48
155	6830	(over-voltage or (over adj voltage) or overvoltage) and sens$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 10:02
162	6234	((subscriber$5 near5 line$3 near5 interface$3 near5 circuit$3) or (interface$3 near3 circuit$3) or (subscriber$3 near3 line$3) or (circuit$3 near3 line$3) or (interface$3 near3 line$3)) with protect$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 10:07
169	1623	(((subscriber$5 near5 line$3 near5 interface$3 near5 circuit$3) or (interface$3 near3 circuit$3) or (subscriber$3 near3 line$3) or (circuit$3 near3 line$3) or (interface$3 near3 line$3)) with protect$4) and (phone$3 or telephone$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 10:09
197	20	((((((subscriber$5 near5 line$3 near5 interface$3 near5 circuit$3) or (interface$3 near3 circuit$3) or (subscriber$3 near3 line$3) or (circuit$3 near3 line$3) or (interface$3 near3 line$3)) with protect$4) and (phone$3 or telephone$3)) and ((overcurrent or over-current or (over adj current)) and sens$5)) and ((batter$3 or (power$3 near3 supply)) and (phone$ or telephones$3))) and (((predetermin$3 near3 time$3) or delay$3 or hold$3) and (phone$ or telephones$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 10:14
190	29	(((((subscriber$5 near5 line$3 near5 interface$3 near5 circuit$3) or (interface$3 near3 circuit$3) or (subscriber$3 near3 line$3) or (circuit$3 near3 line$3) or (interface$3 near3 line$3)) with protect$4) and (phone$3 or telephone$3)) and ((overcurrent or over-current or (over adj current)) and sens$5)) and ((batter$3 or (power$3 near3 supply)) and (phone$ or telephones$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 10:22
183	114	((((subscriber$5 near5 line$3 near5 interface$3 near5 circuit$3) or (interface$3 near3 circuit$3) or (subscriber$3 near3 line$3) or (circuit$3 near3 line$3) or (interface$3 near3 line$3)) with protect$4) and (phone$3 or telephone$3)) and ((overcurrent or over-current or (over adj current)) and sens$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 11:03

C:\APPS\east\workspaces\phone2.wsp

211	26938	(overcurrent or over-current or (over adj current)) and current$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 11:13
218	9952	((overcurrent or over-current or (over adj current)) and current$2) and sens$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 11:18
225	239	(((overcurrent or over-current or (over adj current)) and current$2) and sens$5) and ((batter$3 or (power$3 near3 supply)) and (phone$ or telephones$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 11:20
232	228	((((overcurrent or over-current or (over adj current)) and current$2) and sens$5) and ((batter$3 or (power$3 near3 supply)) and (phone$ or telephones$3))) and control$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 11:25
239	180	(((((overcurrent or over-current or (over adj current)) and current$2) and sens$5) and ((batter$3 or (power$3 near3 supply)) and (phone$ or telephones$3))) and control$4) and protect$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 12:39
246	108	((((((overcurrent or over-current or (over adj current)) and current$2) and sens$5) and ((batter$3 or (power$3 near3 supply)) and (phone$ or telephones$3))) and control$4) and protect$5) and ((subscriber$5 near5 line$3 near5 interface$3 near5 circuit$3) or (interface$3 near3 circuit$3) or (subscriber$3 near3 line$3) or (circuit$3 near3 line$3) or (interface$3 near3 line$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 12:41
253	16	(((((((overcurrent or over-current or (over adj current)) and current$2) and sens$5) and ((batter$3 or (power$3 near3 supply)) and (phone$ or telephones$3))) and control$4) and protect$5) and ((subscriber$5 near5 line$3 near5 interface$3 near5 circuit$3) or (interface$3 near3 circuit$3) or (subscriber$3 near3 line$3) or (circuit$3 near3 line$3) or (interface$3 near3 line$3))) and (current$3 near4 threshold$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 13:34
260	925	over-voltage and (over adj voltage) and overvoltage and voltage$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 13:35

267	21696	(1or (over adj voltage) or overvoltage) and voltage$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 13:37
274	21633	(over-voltage or (over adj voltage) or overvoltage) and voltage$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 13:41
281	74	(((((subscriber$5 near5 line$3 near5 interface$3 near5 circuit$3) or (interface$3 near3 circuit$3) or (subscriber$3 near3 line$3) or (circuit$3 near3 line$3) or (interface$3 near3 line$3)) with protect$4) and (phone$3 or telephone$3)) and ((overcurrent or over-current or (over adj current)) and sens$5)) and ((over-voltage or (over adj voltage) or overvoltage) and voltage$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 13:41